

# MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]

400 Watt LED Area Flood Light

Project Name \_\_\_\_\_



## DETAILS

The IMF-400 is an excellent option for sports fields, arenas, and industrial areas. This is our best-selling flood light family for a reason with tons of light output and versatility. This 400 watts Modular LED Flood Light is a powerful solution for outdoor lighting, suitable for parking lots, sports fields, and industrial areas. It delivers 56,000 lumens with an efficiency of 140 lumens per watt. Designed to withstand tough conditions, it provides reliable performance for demanding environments.

✓ Standard Finish ✓ Marine Grade

## OVERVIEW

SKU	MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]
Watts	400
Lumens	56000
Lumens Per Watt (Efficacy)	140
Color Temperature	4000K   5000K
Voltage	100V-277V   277V-480V



## PRODUCT DIMENSIONS

Product Weight	24 lbs
Cord Length	5 Feet



## PRODUCT SKU VARIATIONS

SKU	Features Voltage
MLLG-AG-LED-IMF-400-5-60-TR	Standard Finish 100V-277V
MLLG-AG-LED-IMF-400-5-60-TR-HV	Standard Finish 277V-480V
MLLG-AG-LED-IMF-400-5-60-TR-MG	Marine Grade 100V-277V



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 [www.ledlightingsupply.com](http://www.ledlightingsupply.com) ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1654

# MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]

400 Watt LED Area Flood Light

Project Name \_\_\_\_\_



## PRODUCT SPECIFICATIONS

OPTICAL	Watts	400
	Lumens	56000
	Color Temperature	4000K   5000K
	CRI	70+
	Beam Angles (Alt)	60°(std), 10°, 15°, 30°, 45°
	Optics	Polycarbonate Optics and Tempered Glass Lens
	Replaces	1000 Watt Metal Halide
ELECTRICAL	Voltage	100-277   277-480
	Dimming	1-10V
	Surge Protection	6kV line-line, 10kV line-earth
	Power Factor (PF)	50/60 hz
CONSTRUCTION	Housing	Powder Coated Aluminum
	IP Rating	IP66
	IK Rating	IK08
	Operating Temperature	-22°F to 113°F (-30°C to 45°C)
	Rated Life	176,000 (L70) hours
	Certifications	DLC Premium   ETL Listed   ROHS   CB   SASO EER
	Warranty	5 years
	Cord Length	5 Feet
	Mount	Slip Fitter   Trunnion
	Color Options	Gray



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

 [www.ledlightingsupply.com](http://www.ledlightingsupply.com)  (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1654

# MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]

400 Watt LED Area Flood Light

Project Name \_\_\_\_\_



## ⚡ ENERGY SAVINGS

Based on 12 hours / day and \$0.13 kWh - eia.gov national average(2025)

Metal Halide Watts	LED Watts	1 Year Energy Savings	5 Year Energy Savings
1,000	400	\$340.08	\$1,700.40


## 🔍 PRODUCT FAMILY MODELS

SKU	Watts	Lumens	Lumens/Watt
MLLG-AG-LED-IMF-200-5-[Optic]-TR-[V]	200	28000	140
MLLG-AG-LED-IMF-400-5-[Optic]-TR-[V]	400	56000	140
MLLG-AG-LED-IMF-600-5-[Optic]-TR-[V]	600	84000	140

## 💡 AMP DRAW

Watts	Current Amp Draw			
	120V	240V	277V	480V
400	3.33	1.67	1.44	0.83

## ⚡ SAMPLE COMPLETED PROJECTS WITH THIS PRODUCT



Product design upgrades may result in specification changes without notice. Speak to a Product Specialist for the latest information.

🌐 [www.ledlightingsupply.com](http://www.ledlightingsupply.com) ☎ (888) 423-3191

Headquartered at: 1 Chestnut Street, 4M Nashua NH 03060

WebID : 1654